



Look Us Up
www.sswm.com.au





Email Us
sales@sswm.com.au



Call Us
1300 305 148




Superior Quality
THE LASTING DECISION



Images are provided as a guide only

Product Page www.sswm.com.au/product/bushfire-mesh
Care Page www.sswm.com.au/stainless-steel-cleaning-maintenance
Glossary Page www.sswm.com.au/what-is-stainless-steel

METRIC	
	Aperture 1.23 mm
	Wire Diameter 0.18 mm




NEAREST IMPERIAL	
Mesh	18
SWG	36.5

Stock Status	Stocked
Finish	Black Powder Coat
Weave Type	Plain Weave
Approx Kg/m²*	0.30 kg/m ²
Approx % Open Area*	76 %

* Pre black powder coat finish

TESTING / STANDARDS	
Mesh is Tested / Manufactured to [^]	
ASTM E2016-15 'Standard Specification for Industrial Woven Wire Cloth'	✓
AS 3959 -2009 Amdt 3 'Construction of Buildings in Bushfire Prone Areas'	✓ Aperture < 2mm Corrosion Resistant Non Combustible
FCO-3313 CSIRO Advisory Report regarding 'Bushfire Mesh' range & criteria of AS 3959-2009	✓ BAL 12.5 - FZ If used in the prescribed construction manner

[^] Refer to the following link for further information
<https://www.sswm.com.au/product/stainless-steel-bushfire-mesh/#testing>

PRODUCT CODE	GRADE	 Width mm	 Length m	 Diam. mm	APPROX Kg/ROLL*
SSWOB 01230 0616 30	316	610 mm	30 m	250 mm	5.5 Kg
SSWOB 01230 0916 15	316	915 mm	15 m	150 mm	4 Kg
SSWOB 01230 0916 30	316	915 mm	30 m	250 mm	9 Kg
SSWOB 01230 1226 15	316	1220 mm	15 m	150 mm	5 Kg
SSWOB 01230 1226 30	316	1220 mm	30 m	250 mm	11 Kg
SSWOB 01230 1556 15	316	1550 mm	15 m	150 mm	7 Kg
SSWOB 01230 1556 30	316	1550 mm	30 m	250 mm	14 Kg

HEAD OFFICE - Sales & Warehouse 3 Commercial Court, Tullamarine VIC 3043, Australia
t 1300 305 148 f 1300 305 805 Int t +613 9448 9048 Int f +613 8669 4506
sales@sswm.com.au www.sswm.com.au