



 Look Us Up <a href="http://www.sswm.com.au">www.sswm.com.au</a>	 Email Us <a href="mailto:sales@sswm.com.au">sales@sswm.com.au</a>	 Call Us 1300 305 148	 Superior Quality THE LASTING DECISION
--	--	---	--



Images are provided as a guide only

METRIC	
	Aperture 10.2 mm
	Wire Diameter 2.50 mm




NEAREST IMPERIAL	
Mesh	2
SWG	12

Stock Status	Stocked
Finish	Nil
Weave Type	Lock Crimp
Approx Kg/m <sup>2</sup>	6.41 Kg/m <sup>2</sup>
Approx % Open Area	65 %

TESTING / STANDARD
Mesh is Tested / Manufactured to <sup>^</sup>
ASTM E2016-15 'Standard Specification for Industrial Woven Wire Cloth' ✓

<sup>^</sup> Refer to Product Page for further information

Product Page	<a href="http://www.sswm.com.au/product/stainless-steel-woven-wire-mesh">www.sswm.com.au/product/stainless-steel-woven-wire-mesh</a>
Care Page	<a href="http://www.sswm.com.au/stainless-steel-cleaning-maintenance">www.sswm.com.au/stainless-steel-cleaning-maintenance</a>
Glossary Page	<a href="http://www.sswm.com.au/what-is-stainless-steel">www.sswm.com.au/what-is-stainless-steel</a>

PRODUCT CODE	GRADE	 Width mm	 Length m	 Diam. mm	APPROX Kg/ROLL
SSWO 10200 1246 LC	316	1245 mm	30 m	500 mm	239 Kg